Neuroscience Letters, 202 (1996) 214–216
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Akaishi, T., Homma, S., Osmolality- and angiotensin-induced responses in the AV3V neurons are affected by estrogen in the ovariectomized rat, 153
Akiyama, H., Kondo, H., Ikeda, K., Arai, T., Kato, M., McGleer, P.L., Immunohistochemical detection of coagulation factor XIIIa in postmortem human brain tissue, 29
Aldenhoff, J.B., see Cohen, C.D., 177
Alix, S., see O'Regan, M.H., 201
Altmann, L., Weinand-Haerer, A., Lilienthal, H., Wiegand, H., Maternal exposure to polychlorinated biphenyls inhibits long-term potentiation in the visual cortex of adult rats, 53
Anglade, P., see Tatsumi, H., 25
Angulo, J.A., see Noailles, P.-A.H., 165
Arai, T., see Akiyama, H., 29

Barajas, L., see Liu, L., 69
Barrón, S., see Ferrer, I., 105
Bjartmar, C., see Hildebrand, C., 173
Blum-Degen, D., Müller, T., Kuhn, W., Gerlach, M., Przuntek, H., Riederer, P., Interleukin-1β and interleukin-6 are elevated in the cerebrospinal fluid of Alzheimer's and de novo Parkinson's disease patients, 17
Boulu, R.G., see Lancelot, E., 21
Branch, B.J., see Diamond, D.M., 204
Bringmann, A., The pontomesencephalic tegmentum delays the peak latency of the visual evoked potential in rats, 13
Brinley-Reed, M., Mascagni, F., McDonald, A.J., Synaptology of prefrontal cortical projections to the basolateral amygdala: an electron microscopic study in the rat, 45
Brown, R.E., Reymann, K.G., Class I metabotropic glutamate receptor agonists do not facilitate the induction of long-term potentiation in the dentate gyrus of the rat in vitro, 73
Brüning, G., Mayer, B., Prenatal development of nitric oxide synthase in the mouse spinal cord, 189

Callebert, J., see Lancelot, E., 21
Chan, Y.S., see Yang, Z., 145
Chang, C.-L., Lee, J.C., Tseng, C.-C., Chang, Y.-H., Cheng, J.-T., Decrease of anesthetics activity by electroacupuncture on *Jen-Chung* point in rabbits, 93
Chang, Y.-H., see Chang, C.-L., 93
Chang, Y.T., Mues, G., Hyland, K., Alternative splicing in the coding region of human aromatic L-amino acid decarboxylase mRNA, 157
Cheng, J.-T., see Chang, C.-L., 93
Chiu, W.-T., Kao, T.-Y., Lin, M.-T., Interleukin-1 receptor antagonist increases survival in rat heatstroke by reducing hypothalamic serotonin release, 33
Cohen, C.D., Vollmayr, B., Aldenhoff, J.B., K^+ currents of human T-lymphocytes are unaffected by Alzheimer's disease and amyloid β protein, 177
Contreras, Q., see Murzi, E., 141

Dawson, D., see Gartshore, G., 209
De Parada, M.P., see Murzi, E., 141
de Vries, J.B., see Drijfhout, W.J., 185
Debilly, G., see Gonzalez, M.M. del C., 5
Diamond, D.M., Branch, B.J., Fleshner, M., The neurosteroid dehydroepiandrosterone sulfate (DHEAS) enhances hippocampal primed burst, but not long-term, potentiation, 204
Ding, Y.-Q., see Ohishi, H., 85
Doorenbosch, C.A.M., Harlaar, J., van Ingen Schenau, G.J., Stiffness control for lower leg muscles in directing external forces, 61
Doyle, C.A, Slater, P., Application of [^{3}H]L-N^G-nitro-arginine labelling to measure cerebellar nitric oxide synthase in patients with schizophrenia, 49
Drijfhout, W.J., van der Linde, A.G., de Vries, J.B., Grol, C.J., Westerink, B.H.C., Microdialysis reveals dynamics of coupling between noradrenaline release and melatonin secretion in conscious rats, 185

Eto, T., see Ueta, Y., 37

Ferrer, I., Barrón, S., Rodríquez-Farré, E., Planas, A.M., Ionizing radiation-induced apoptosis is associated with c-Jun expression and c-Jun/AP-1 activation in the developing cerebellum of the rat, 105
Fleshner, M., see Diamond, D.M., 204
Francis-Turner, L., Valoušková, V., Nerve growth factor and nootropic drug Cerebrolysin but not fibroblast growth factor can reduce spatial memory impairment elicited by fimbria-fornix transection: short-term study, 193
Friauf, E., see Kungel, M., 181
Fritzsch, B., see Norgren, Jr., R.B., 9
Fujii, N., see Tsuzuki, K., 77
Fukatsu, R., see Tsuzuki, K., 77
Fukuda, K., see Richmon, J.D., 1

Gao, C., see Norgren, Jr., R.B., 9
Gartshore, G., Dawson, D., Patterson, J., Macrae, I.M., Topographic profile of reperfusion into MCA territory following endothelin-1-induced transient focal cerebral ischaemia, 209
Gerlach, M., see Blum-Degen, D., 17
Gonzalez, M.M. del C., Debilly, G., Valatx, J.-L., Jouvet, M., Sleep increase after immobilization stress: role of the noradrenergic locus coeruleus system in the rat, 5
Grol, C.J., see Drijfhout, W.J., 185

Harlaar, J., see Doorenbosch, C.A.M., 61
Harrington, C.R., Roth, M., Xuereb, J.H., McKenna, P.J., Wischik, C.M., Apolipoprotein E type ε4 allele frequency is increased in patients with schizophrenia, 101
Hayashi, Y., see Tsuzuki, K., 77
Hernandez, L., see Murzi, E., 141
Hildebrand, C., Loeliger, S., Bjartmar, C., Karlsson, M., Sheath lengths of large motor axons in the ventral root L5 of neonatal and adult rats, 173
Höllt, V., see Matthies, H., 113
Homma, S., see Akaishi, T., 153
Hyland, K., see Chang, Y.T., 157

Ikeda, K., see Akiyama, H., 29
Imahori, K., see Ishiguro, K., 81
Ishiguro, K., Sato, K., Takamatsu, M., Park, J., Uchida, T., Imahori, K., Analysis of phosphorylation of tau with antibodies specific for phosphorylation sites, 81
Isse, T., see Ueta, Y., 37

Ji, Y., see Norgren, Jr., R.B., 9
Jouvet, M., see Gonzalez, M.M. del C., 5

Neuroscience Letters, 202 (1996) 214–216
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Akaishi, T., Homma, S., Osmolality- and angiotensin-induced responses in the AV3V neurons are affected by estrogen in the ovariectomized rat, 153
Akiyama, H., Kondo, H., Ikeda, K., Arai, T., Kato, M., McGleer, P.L., Immunohistochemical detection of coagulation factor XIIIa in postmortem human brain tissue, 29
Aldenhoff, J.B., see Cohen, C.D., 177
Alix, S., see O'Regan, M.H., 201
Altmann, L., Weinand-Haerer, A., Lilienthal, H., Wiegand, H., Maternal exposure to polychlorinated biphenyls inhibits long-term potentiation in the visual cortex of adult rats, 53
Anglade, P., see Tatsumi, H., 25
Angulo, J.A., see Noailles, P.-A.H., 165
Arai, T., see Akiyama, H., 29

Barajas, L., see Liu, L., 69
Barrón, S., see Ferrer, I., 105
Bjartmar, C., see Hildebrand, C., 173
Blum-Degen, D., Müller, T., Kuhn, W., Gerlach, M., Przuntek, H., Riederer, P., Interleukin-1β and interleukin-6 are elevated in the cerebrospinal fluid of Alzheimer's and de novo Parkinson's disease patients, 17
Boulu, R.G., see Lancelot, E., 21
Branch, B.J., see Diamond, D.M., 204
Bringmann, A., The pontomesencephalic tegmentum delays the peak latency of the visual evoked potential in rats, 13
Brinley-Reed, M., Mascagni, F., McDonald, A.J., Synaptology of prefrontal cortical projections to the basolateral amygdala: an electron microscopic study in the rat, 45
Brown, R.E., Reymann, K.G., Class I metabotropic glutamate receptor agonists do not facilitate the induction of long-term potentiation in the dentate gyrus of the rat in vitro, 73
Brüning, G., Mayer, B., Prenatal development of nitric oxide synthase in the mouse spinal cord, 189

Callebert, J., see Lancelot, E., 21
Chan, Y.S., see Yang, Z., 145
Chang, C.-L., Lee, J.C., Tseng, C.-C., Chang, Y.-H., Cheng, J.-T., Decrease of anesthetics activity by electroacupuncture on *Jen-Chung* point in rabbits, 93
Chang, Y.-H., see Chang, C.-L., 93
Chang, Y.T., Mues, G., Hyland, K., Alternative splicing in the coding region of human aromatic L-amino acid decarboxylase mRNA, 157
Cheng, J.-T., see Chang, C.-L., 93
Chiu, W.-T., Kao, T.-Y., Lin, M.-T., Interleukin-1 receptor antagonist increases survival in rat heatstroke by reducing hypothalamic serotonin release, 33
Cohen, C.D., Vollmayr, B., Aldenhoff, J.B., K^+ currents of human T-lymphocytes are unaffected by Alzheimer's disease and amyloid β protein, 177
Contreras, Q., see Murzi, E., 141

Dawson, D., see Gartshore, G., 209
De Parada, M.P., see Murzi, E., 141
de Vries, J.B., see Drijfhout, W.J., 185
Debilly, G., see Gonzalez, M.M. del C., 5
Diamond, D.M., Branch, B.J., Fleshner, M., The neurosteroid dehydroepiandrosterone sulfate (DHEAS) enhances hippocampal primed burst, but not long-term, potentiation, 204
Ding, Y.-Q., see Ohishi, H., 85
Doorenbosch, C.A.M., Harlaar, J., van Ingen Schenau, G.J., Stiffness control for lower leg muscles in directing external forces, 61
Doyle, C.A, Slater, P., Application of [^{3}H]L-N^G-nitro-arginine labelling to measure cerebellar nitric oxide synthase in patients with schizophrenia, 49
Drijfhout, W.J., van der Linde, A.G., de Vries, J.B., Grol, C.J., Westerink, B.H.C., Microdialysis reveals dynamics of coupling between noradrenaline release and melatonin secretion in conscious rats, 185

Eto, T., see Ueta, Y., 37

Ferrer, I., Barrón, S., Rodríquez-Farré, E., Planas, A.M., Ionizing radiation-induced apoptosis is associated with c-Jun expression and c-Jun/AP-1 activation in the developing cerebellum of the rat, 105
Fleshner, M., see Diamond, D.M., 204
Francis-Turner, L., Valoušková, V., Nerve growth factor and nootropic drug Cerebrolysin but not fibroblast growth factor can reduce spatial memory impairment elicited by fimbria-fornix transection: short-term study, 193
Friauf, E., see Kungel, M., 181
Fritzsch, B., see Norgren, Jr., R.B., 9
Fujii, N., see Tsuzuki, K., 77
Fukatsu, R., see Tsuzuki, K., 77
Fukuda, K., see Richmon, J.D., 1

Gao, C., see Norgren, Jr., R.B., 9
Gartshore, G., Dawson, D., Patterson, J., Macrae, I.M., Topographic profile of reperfusion into MCA territory following endothelin-1-induced transient focal cerebral ischaemia, 209
Gerlach, M., see Blum-Degen, D., 17
Gonzalez, M.M. del C., Debilly, G., Valatx, J.-L., Jouvet, M., Sleep increase after immobilization stress: role of the noradrenergic locus coeruleus system in the rat, 5
Grol, C.J., see Drijfhout, W.J., 185

Harlaar, J., see Doorenbosch, C.A.M., 61
Harrington, C.R., Roth, M., Xuereb, J.H., McKenna, P.J., Wischik, C.M., Apolipoprotein E type ε4 allele frequency is increased in patients with schizophrenia, 101
Hayashi, Y., see Tsuzuki, K., 77
Hernandez, L., see Murzi, E., 141
Hildebrand, C., Loeliger, S., Bjartmar, C., Karlsson, M., Sheath lengths of large motor axons in the ventral root L5 of neonatal and adult rats, 173
Höllt, V., see Matthies, H., 113
Homma, S., see Akaishi, T., 153
Hyland, K., see Chang, Y.T., 157

Ikeda, K., see Akiyama, H., 29
Imahori, K., see Ishiguro, K., 81
Ishiguro, K., Sato, K., Takamatsu, M., Park, J., Uchida, T., Imahori, K., Analysis of phosphorylation of tau with antibodies specific for phosphorylation sites, 81
Isse, T., see Ueta, Y., 37

Ji, Y., see Norgren, Jr., R.B., 9
Jouvet, M., see Gonzalez, M.M. del C., 5

Kabashima, N., see Ueta, Y., 37
Kaneko, T., see Neki, A., 197
Kangawa, K., see Ueta, Y., 37
Kao, T.-Y., see Chiu, W.-T., 33
Karle, J., Witt, M.-R., Nielsen, M., Antisense oligonucleotide to $GABA_A$ receptor $\gamma 2$ subunit induces loss of neurones in rat hippocampus, 97
Karlsson, M., see Hildebrand, C., 173
Katayama, Y., see Tatsumi, H., 25
Kato, M., see Akiyama, H., 29
Kato, T., see Wada, M., 137
Kinoshita, A., see Ohishi, H., 85
Kitamura, K., see Ueta, Y., 37
Koch, M., see Kungel, M., 181
Kondo, H., see Akiyama, H., 29
Krug, M., see Matthies, H., 113
Kuhn, W., see Blum-Degen, D., 17
Kungel, M., Koch, M., Friauf, E., Cysteamine impairs the development of the acoustic startle response in rats: possible role of somatostatin, 181
Kurita, K., see Wada, M., 137

Lancelot, E., Callebert, J., Lerouet, D., Revaud, M.-L., Boulu, R.G., Plotkine, M., Role of the L-arginine–nitric oxide pathway in the basal hydroxyl radical production in the striatum of awake rats as measured by brain microdialysis, 21
Ledoux, M., see Noailles, P.-A.H., 165
Lee, J.C., see Chang, C.-L., 93
Lefaucheur, J.P., Sebille, A., Basic fibroblast growth factor promotes in vivo muscle regeneration in murine muscular dystrophy, 121
Lerouet, D., see Lancelot, E., 21
Li, J.-L., see Ohishi, H., 85
Lilienthal, H., see Altmann, L., 53
Lin, L.-H., Wang, L.-H., Rechanges in $GABA_A$ receptor δ subunit mRNA level by tolerance to and withdrawal from pentobarbital, 149
Lin, M.-T., see Chiu, W.-T., 33
Liu, G.-L., see Liu, L., 69
Liu, L., Liu, G.-L., Barajas, L., Colocalization of NADPH-diaphorase and dopamine β-hydroxylase in the neuronal somata of the rat kidney, 69
Loeliger, S., see Hildebrand, C., 173
Lucas, L.R., see Noailles, P.-A.H., 165

Macrae, I.M., see Gartshore, G., 209
Marugg, R.A., see Riederer, B.M., 125
Mascagni, F., see Brinley-Reed, M., 45
Matsuo, H., see Ueta, Y., 37
Matthies, H., Schröder, H., Wagner, M., Höllt, V., Krug, M., NMDA/R1-antisense oligonucleotide influences the early stage of long-term potentiation in the CA1-region of rat hippocampus, 113
Mayer, B., see Brüning, G., 189
McDonald, A.J., see Brinley-Reed, M., 45
McEwen, B.S., see Noailles, P.-A.H., 165
McGleer, P.L., see Akiyama, H., 29
McKenna, P.J., see Harrington, C.R., 101
Michael, S.W., see Tricas, T.C., 129
Mizuno, N., see Neki, A., 197
Mizuno, N., see Ohishi, H., 85
Motelica-Heino, I., see Tatsumi, H., 25
Mues, G., see Chang, Y.T., 157
Müller, T., see Blum-Degen, D., 17
Murzi, E., Contreras, Q., Teneud, L., Valecillos, B., Parada, M.A., De Parada, M.P., Hernandez, L., Diabetes decreases limbic extracellular dopamine in rats, 141

Näätänen, R., see Schröger, E., 117
Nakanishi, S., see Neki, A., 197
Nakanishi, S., see Ohishi, H., 85
Neki, A., Ohishi, H., Kaneko, T., Shigemoto, R., Nakanishi, S., Mizuno, N., Pre- and postsynaptic localization of a metabotropic glutamate receptor, mGluR2, in the rat brain: an immunohistochemical study with a monoclonal antibody, 197
Neki, A., see Ohishi, H., 85
Nielsen, M., see Karle, J., 93
Noailles, P.-A.H., Villegas, M., Ledoux, M., Lucas, L.R., McEwen, B.S., Angulo, J.A., Acute treatment with the *N*-methyl-D-aspartate receptor antagonist MK-801: effect of concurrent administration of haloperidol or scopolamine on preproenkephalin mRNA levels of the striatum and nucleus accumbens of the rat brain, 165
Noble, L.J., see Richmon, J.D., 1
Nomura, S., see Ohishi, H., 85
Norgren, Jr., R.B., Gao, C., Ji, Y., Fritzsch, B., Tangential migration of luteinizing hormone-releasing hormone (LHRH) neurons in the medial telencephalon in association with transient axons extending from the olfactory nerve, 9
Nowak, J.Z., Sęk, B., Zawilska, J.B., A bizarre receptor mediating stimulatory effect of histamine on cyclic AMP formation in duck pineal gland, 65
Nozaki-Taguchi, N., see Yamamoto, T., 89
Nurse, C., see Zhong, H., 41

O'Malley, K.L., see Oh, Y.J., 161
O'Regan, M.H., Alix, S., Woodbury, D.J., Phospholipase A_2-evoked destabilization of planar lipid membranes, 201
Oh, Y.J., Swarzenski, B.C., O'Malley, K.L., Overexpression of Bcl-2 in a murine dopaminergic neuronal cell line leads to neurite outgrowth, 161
Ohishi, H., Nomura, S., Ding, Y.-Q., Shigemoto, R., Wada, E., Kinoshita, A., Li, J.-L., Neki, A., Nakanishi, S., Mizuno, N., Presynaptic localization of a metabotropic glutamate receptor, mGluR7, in the primary afferent neurons: an immunohistochemical study in the rat, 85
Ohishi, H., see Neki, A., 197
Orlando, L.R., Standaert, D.G., Penney, Jr., J.B., Young, A.B., Metabotropic receptors in excitotoxicity: (*S*)-4-carboxy-3-hydroxyphenylglycine ((*S*)-4C3HPG) protects against rat striatal quinolinic acid lesions, 109
Ossowska, K., Interaction between striatal excitatory amino acid and γ-aminobutyric acid (GABA) receptors in the turning behaviour of rats, 57

Parada, M.A., see Murzi, E., 141
Park, J., see Ishiguro, K., 81
Patterson, J., see Gartshore, G., 209
Penney, Jr., J.B., see Orlando, L.R., 109
Planas, A.M., see Ferrer, I., 105
Plotkine, M., see Lancelot, E., 21
Przuntek, H., see Blum-Degen, D., 17

Remijn, G.B., Sugita, Y., Mismatch between anticipated and actually presented sound stimuli in humans, 169
Revaud, M.-L., see Lancelot, E., 21

Reymann, K.G., see Brown, R.E., 73
Richmon, J.D., Fukuda, K., Sharp, F.R., Noble, L.J., Induction of HSP-70 after hyperosmotic opening of the blood–brain barrier in the rat, 1
Riederer, B.M., Marugg, R.A., Schönenberger, N., A novel neuromuscular marker for the heavy subunit of neurofilament proteins, NF-H, and striated muscle myosin of *Xenopus laevis*, 125
Riederer, P., see Blum-Degen, D., 17
Rodríquez-Farré, E., see Ferrer, I., 105
Roth, M., see Harrington, C.R., 101

Sasaki, H., see Wada, M., 137
Sato, K., see Ishiguro, K., 81
Schönenberger, N., see Riederer, B.M., 125
Schröder, H., see Matthies, H., 113
Schröger, E., Tervaniemi, M., Näätänen, R., Time course of loudness in tone patterns is automatically represented by the human brain, 117
Sebille, A., see Lefaucheur, J.P., 121
Sęk, B., see Nowak, J.Z., 65
Sharp, F.R., see Richmon, J.D., 1
Shibuya, I., see Ueta, Y., 37
Shigemoto, R., see Neki, A., 197
Shigemoto, R., see Ohishi, H., 85
Shikama, Y., see Wada, M., 137
Sisneros, J.A., see Tricas, T.C., 129
Slater, P., see Doyle, C.A, 49
Soeda, H., see Tatsumi, H., 25
Soutschek, J., Zupanc, G.K.H., Apoptosis as a regulator of cell proliferation in the central posterior/prepacemaker nucleus of adult gymnotiform fish, *Apteronotus leptorhynchus*, 133
Standaert, D.G., see Orlando, L.R., 109
Sugita, Y., see Remijn, G.B., 169
Swarzenski, B.C., see Oh, Y.J., 161

Takahata, N., see Tsuzuki, K., 77
Takamaru, Y., see Tsuzuki, K., 77
Takamatsu, M., see Ishiguro, K., 81
Tatsumi, H., Tsuji, S., Anglade, P., Motelica-Heino, I., Soeda, H., Katayama, Y., Synthesis, storage and release of acetylcholine at and from growth cones of rat central cholinergic neurons in culture, 25
Teneud, L., see Murzi, E., 141
Tervaniemi, M., see Schröger, E., 117
Toyoshima, I., see Wada, M., 137
Tricas, T.C., Michael, S.W., Sisneros, J.A., Electrosensory optimization to conspecific phasic signals for mating, 129
Tseng, C.-C., see Chang, C.-L., 93
Tsuji, S., see Tatsumi, H., 25
Tsuzuki, K., Fukatsu, R., Takamaru, Y., Yoshida, T., Hayashi, Y., Yamaguchi, H., Fujii, N., Takahata, N., Amyloid β protein in rat soleus muscle in chloroquine-induced myopathy using end-specific antibodies for Aβ40 and Aβ42: immunohistochemical evidence for amyloid β protein, 77

Uchida, T., see Ishiguro, K., 81
Ueta, Y., Kitamura, K., Isse, T., Shibuya, I., Kabashima, N., Yamamoto, S., Kangawa, K., Matsuo, H., Eto, T., Yamashita, H., Adrenomedullin-immunoreactive neurons in the paraventricular and supraoptic nuclei of the rat, 37

Valatx, J.-L., see Gonzalez, M.M. del C., 5
Valecillos, B., see Murzi, E., 141
Valoušková, V., see Francis-Turner, L., 193
van der Linde, A.G., see Drijfhout, W.J., 185
van Ingen Schenau, G.J., see Doorenbosch, C.A.M., 61
Villegas, M., see Noailles, P.-A.H., 165
Vollmayr, B., see Cohen, C.D., 177

Wada, E., see Ohishi, H., 85
Wada, M., Kato, T., Kurita, K., Shikama, Y., Toyoshima, I., Sasaki, H., Detection of heparan sulfate in spinal spheroids of β,β'-iminodipropionitrile (IDPN)-treated rats, 137
Wagner, M., see Matthies, H., 113
Wang, L.-H., see Lin, L.-H., 149
Weinand-Haerer, A., see Altmann, L., 53
Westerink, B.H.C., see Drijfhout, W.J., 185
Wiegand, H., see Altmann, L., 53
Wischik, C.M., see Harrington, C.R., 101
Witt, M.-R., see Karle, J., 93
Wong, T.M., see Yang, Z., 145
Woodbury, D.J., see O'Regan, M.H., 201

Xuereb, J.H., see Harrington, C.R., 101

Yamaguchi, H., see Tsuzuki, K., 77
Yamamoto, S., see Ueta, Y., 37
Yamamoto, T., Nozaki-Taguchi, N., Role of cholecystokinin-B receptor in the maintenance of thermal hyperalgesia induced by unilateral constriction injury to the sciatic nerve in the rat, 89
Yamashita, H., see Ueta, Y., 37
Yang, Z., Chan, Y.S., Wong, T.M., Effects of kainic acid administered to the caudal ventrolateral medulla on arterial blood pressure in the spontaneously hypertensive and normotensive Wistar–Kyoto rats, 145
Yoshida, T., see Tsuzuki, K., 77
Young, A.B., see Orlando, L.R., 109

Zawilska, J.B., see Nowak, J.Z., 65
Zhong, H., Nurse, C., Basic fibroblast growth factor regulates ionic currents and excitability of fetal rat carotid body chemoreceptors, 41
Zupanc, G.K.H., see Soutschek, J., 133